

PEOPLES STEEL MILLS LIMITED

Manghopir, Karachi.

REQUEST FOR QUOTATION



M/s.

RFQ NO. SSAMC/BU-1/LP-33/PR-1385/1625

ISSUED ON 24-JAN-24

DUE ON 16-FEB-24

Dear Sirs,

We invite you to quote for the following material on F.O.R PSM site basis inclusive of all Government taxes and levies on the terms and conditions attached herewith valid for 45 days. Your offer must reach the office of the undersigned by the date mentioned above.

S. NO.	DESCRIPTION	QUANTITY	RATE
1	Bandsaw Cooling Motor.Power: 0.37KW.400V AC.50 Hz.1-Amp.PF: 0.68.RPM: 2800.Type CP-12. Pump Data: O max-110 L / Mint. H max-6m.Type CP-12.Model: Uzay-2200.Make: Uzay Makina (Turkey)	1 NOS	
2	Bandsaw Chip Conveyer Motor.Power: 0.18KW.400V AC.50 Hz.0.6 Amp.PF: 0.6.IP: 55.RPM: 1000.Model: UMSY 800.Make: Uzay Makina (Turkey)	1 NOS	
3	Bandsaw Chip Conveyer Motor.Power: 0.18KW.400V AC.50 Hz.0.60 Amp.PF: 0.66.RPM: 920.IP: 55.Model: Uzay-2200.Make: BELK (Turkey)	1 NOS	


NOTE : Offer on F.O.R. Basis Must Be Sent To the Attention of Head (Procurement) On Fax No. (92 21) 36770112, 5206764 or By Courier Service at the Factory Address PABX No (92 21) 36770126-27-28 Procurement Direct No. (92 21) 36770121 or email: ahsan@psmltd.com, nauman@psmltd.com .

PSM will take delivery of order material from supplier premises having value upto Rs 20,000/- through own arrangement.

Delivery Lead Time: Within 30 days after receipt of Purchase Order.

Yours Sincerely
For PEOPLES STEEL MILLS LIMITED

Deputy General Manager
(PROCUREMENT)

BANDSAW CHIP CONVEYER MOTOR FOR Uzay-2200					
S.NO	Bandsaw Company	Motor Specs	Required Qty	Estimated Coast Rs.	Motor Pics
1	Uzay Makina, Turkey	<p>Chip Conveyor Motor Uzay- 2200</p> <p>v0.18 KW, 400VAC-50 Hz,0.60 Amp, PF-0.66, 920-RPM, IP-55, Make: BELK, Made in Turkey</p>	1	80,000.00	

Note: Local is also Acceptable with same specs.

S.NO	BANDSAW CHIP CONVEYER MOTOR FOR Uzay-800				Motor Pics																																																						
	Bandsaw Company	Motor Specs	Required Qty	Estimated Coast Rs.																																																							
1	Uzay Makina, Turkey	Chip Conveyor Motor 0.18 KW, 400VAC,50-Hz,0.6 Amp, PF-0.6, IP-55 1000RPM Model Uzay 800 Made in Turkey	1	80,000.00	<p>Uzay 800</p> <table border="1"> <thead> <tr> <th>Yapısal Özellikler</th> <th>Yapısal Özellikler</th> <th>Yapısal Özellikler</th> <th>Yapısal Özellikler</th> <th>Yapısal Özellikler</th> <th>Yapısal Özellikler</th> </tr> </thead> <tbody> <tr> <td>Motor Gücü (KW)</td> <td>0.18</td> <td>0.18</td> <td>0.18</td> <td>0.18</td> <td>0.18</td> </tr> <tr> <td>Motor Voltajı (V)</td> <td>400</td> <td>400</td> <td>400</td> <td>400</td> <td>400</td> </tr> <tr> <td>Motor Frekansı (Hz)</td> <td>50</td> <td>50</td> <td>50</td> <td>50</td> <td>50</td> </tr> <tr> <td>Motor Akımı (A)</td> <td>0.6</td> <td>0.6</td> <td>0.6</td> <td>0.6</td> <td>0.6</td> </tr> <tr> <td>Motor IP Sınıfı</td> <td>IP-55</td> <td>IP-55</td> <td>IP-55</td> <td>IP-55</td> <td>IP-55</td> </tr> <tr> <td>Motor RPM</td> <td>1000</td> <td>1000</td> <td>1000</td> <td>1000</td> <td>1000</td> </tr> <tr> <td>Motor Modeli</td> <td>Uzay 800</td> <td>Uzay 800</td> <td>Uzay 800</td> <td>Uzay 800</td> <td>Uzay 800</td> </tr> <tr> <td>Motor Üretimi</td> <td>Türkiye</td> <td>Türkiye</td> <td>Türkiye</td> <td>Türkiye</td> <td>Türkiye</td> </tr> </tbody> </table>	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Motor Gücü (KW)	0.18	0.18	0.18	0.18	0.18	Motor Voltajı (V)	400	400	400	400	400	Motor Frekansı (Hz)	50	50	50	50	50	Motor Akımı (A)	0.6	0.6	0.6	0.6	0.6	Motor IP Sınıfı	IP-55	IP-55	IP-55	IP-55	IP-55	Motor RPM	1000	1000	1000	1000	1000	Motor Modeli	Uzay 800	Uzay 800	Uzay 800	Uzay 800	Uzay 800	Motor Üretimi	Türkiye	Türkiye	Türkiye	Türkiye	Türkiye
Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler	Yapısal Özellikler																																																						
Motor Gücü (KW)	0.18	0.18	0.18	0.18	0.18																																																						
Motor Voltajı (V)	400	400	400	400	400																																																						
Motor Frekansı (Hz)	50	50	50	50	50																																																						
Motor Akımı (A)	0.6	0.6	0.6	0.6	0.6																																																						
Motor IP Sınıfı	IP-55	IP-55	IP-55	IP-55	IP-55																																																						
Motor RPM	1000	1000	1000	1000	1000																																																						
Motor Modeli	Uzay 800	Uzay 800	Uzay 800	Uzay 800	Uzay 800																																																						
Motor Üretimi	Türkiye	Türkiye	Türkiye	Türkiye	Türkiye																																																						

Note: Local is also Acceptable with same specs.

BANDSAW COOLING MOTOR FOR Uzay-2200																	
S.NO	Bandsaw Company	Motor Specs	Required Qty	Estimated Coast Rs.	Motor Pics												
1	Uzay Makina, Turkey Model Uzay- 2200	<p>Cooling Motor With Pump</p> <p>MOTOR DATA 0.37 KW, 400VAC-50 Hz, 1-Amp, PF-0.68, 2800-RPM, Type CP-12, Make: Miksan, Made in Turkey.</p> <p>PUMP-DATA Omax-110 L/Mint, Hmax-6m, Type CP-12</p>	1	65,000.00	<p>The image shows a metal nameplate with the following text:</p> <p>miksan TYPE CP 12 CE</p> <table border="1"> <tr> <th>Motor</th> <th>Pump</th> </tr> <tr> <td>63 2 3 Mot: 50 Hz</td> <td>Qmax 110 l/min</td> </tr> <tr> <td>0,37 kw IP 54 Δ Y</td> <td>Hmax 6 m</td> </tr> <tr> <td>cos φ : 0,68 230 400 V</td> <td>Viscosity ... 60 cSt</td> </tr> <tr> <td>2800 min⁻¹ 1,70 1,00 A</td> <td>Temp. ... 60</td> </tr> <tr> <td>6,38 kg I.G.L.F.</td> <td>No: 0181153 08/15</td> </tr> </table>	Motor	Pump	63 2 3 Mot: 50 Hz	Qmax 110 l/min	0,37 kw IP 54 Δ Y	Hmax 6 m	cos φ : 0,68 230 400 V	Viscosity ... 60 cSt	2800 min ⁻¹ 1,70 1,00 A	Temp. ... 60	6,38 kg I.G.L.F.	No: 0181153 08/15
Motor	Pump																
63 2 3 Mot: 50 Hz	Qmax 110 l/min																
0,37 kw IP 54 Δ Y	Hmax 6 m																
cos φ : 0,68 230 400 V	Viscosity ... 60 cSt																
2800 min ⁻¹ 1,70 1,00 A	Temp. ... 60																
6,38 kg I.G.L.F.	No: 0181153 08/15																

Note: Local is also Acceptable with same specs.